

# HOW TO APPLY VINYL STICKERS

www.definedesign.co.nz

e. janet@definedesign.co.nz

p. (09) 278 1984

f. (09) 278 1982



## METHOD ONE: Straight on using water

NOTE: BE CAREFUL NOT TO GET BACKING PAPER WET



**1** CLEAN SURFACE: Using methylated spirits, turpentine or an alcohol cleaner.



**2** REGISTRATION MARKS: Place the decal where you'd like it, and place matching marks on surface and paper.



**3** PEEL OFF BACKING PAPER : ... being careful it doesn't stick to itself!



**4** SPRAY WITH WATER: This step can be left out if you are confident enough, but is recommended for beginners.



**5** SQUEEGY DOWN: Starting from the middle, squeegee from the centre to the outside. If no water is used try to keep sticker from touching surface until it is applied.



**6** PEEL OFF TAPE AND YOU'RE DONE!  
NOTE!!! If you have used water you may have to wait until water has dried a bit.

# HOW TO APPLY VINYL STICKERS

www.definedesign.co.nz

e. janet@definedesign.co.nz

p. (09) 278 1984

f. (09) 278 1982



## METHOD TWO: Applied "dry" using masking tape



**1** **CLEAN SURFACE:** Using methylated spirits, turpentine or an alcohol cleaner.



**2** **TAPE AND MEASURE:** Tape down using masking tape and use a ruler and measure either side to make sure they are even.



**3** **TAPE DOWN THE CENTRE**



**4** **Release one taped side**



**5** **Peel the released side right back using the masking tape to hold it back. CUT AWAY THE REMAINING BACKING PAPER**



**6** **SQUEEGY DOWN THAT HALF OF THE STICKER - working from the middle to the outer edges.**



**7** PEEL OFF THE OTHER HALF OF THE BACKING PAPER



**8** SQUEEGY THE REMAINING HALF DOWN - working from the middle to outer edges as before.



**9** PEEL OFF THE APPLICATION TAPE



**10** YOU'RE DONE!